

Mallia™

WOW
MORE
CHOICES
NOW

Express Yourself Like Never Before

 legrand®

SPOILT FOR CHOICE

Mixing colours is a breeze with Mallia™. With new rocker colours added to the range, there are now even more exciting possibilities.



WOW A visual treat / 4 /

MORE An enduring form / 8 /

CHOICES For every purpose / 10 /

NOW An easy fix / 14 /

SHOP Catalogue pages / 16 /





Designed to Impress

How about introducing an extra oomph to your house?

The two new Mallia rocker colours, Matt Black and Champagne, are designed for just that purpose.



Matt Black with
Silver rocker



Copper with
Matt Black rocker



Champagne with
Pearl rocker



Bronze with
Champagne rocker



A Style that Never Gets Dated

When the conventional White, graceful light Silver, classy Pearl and cool Dark Silver meet the mysterious Matt Black and chic Champagne, you will get alluring elegance and uncompromising simplicity – like always.



Champagne



Matt Black



Silver



Pearl



White



Dark Silver



Matt Black

Smooth to the touch and complete with a sleek profile, the Matt Black series is unquestionably a stunning addition to any modern home.



An Enduring Form

Each curve and detail of Mallia™ exudes uniqueness.



Colour and finish converge into a pristine whole.



Slim profile to fit every space and design.





Champagne

Absolute elegance, enhanced by a dignified and enduring style, the timeless Champagne series promises to introduce a touch of sophistication to your beautiful home.

Metal

Two different textures to provide a distinctive touch, the Brushed and Polished Stainless Steel series are among the most versatile in the Mallia™ range.



Brushed Stainless Steel



Polished Stainless Steel

MORE

Full Colour

Introducing the new additions to the Mallia™ family – Matt Black and Champagne. While Matt Black exudes an air of mystery, Champagne embodies familiarity and finesse. Together, they inspire your creativity.



Mix and Match

Let the spectrum of Mallia™ colours delight your visual senses. Whether you are in the mood to pack in some colours and spice things up or keep it pure and simple for a touch of authenticity, Mallia™ presents you with the freedom to go with full colour or mix and match – it's your call.





Brushed Stainless Steel
with Silver rocker



White



Lacquered Black with
Dark Silver rocker



Dark Silver



Pearl



Gold with Champagne
rocker



Silver



Copper with Pearl rocker



Bronze with
Champagne rocker



Champagne with
Dark Silver rocker



Polished Stainless Steel
with Matt Black rocker



Silver with
Dark Silver rocker



CHOICES



The Universal Dimmer

We promise you will love the Mallia™ Universal Dimmers. This is one device that does it all – dim and control dimmable LEDs and CFL, halogen or incandescent lamps. Enabling you to harness the full energy efficiency potential of modern loads is our way of reciprocating your loyalty.



LED



CFL



Halogen



Incandescent





The Multi-standard Socket

Powering international appliances is made easy with the Mallia™ multi-standard socket. Suitable for every type of plug found around the world, it is the perfect complement for any environment hosting global visitors.



Even more versatile than before

No matter what modern lifestyle demands you may have, you are well covered with Mallia™. Every care has been taken to make Mallia™ friendlier and more synchronised with your modern lifestyle, so you can be certain that Mallia™'s form always complements the function and you get a complete experience.



1 to 3 gang transparent rockers consist of 3 layers: rocker, blank label and transparent cover.



Full surface blank label holders allow you to display customised pictures, wallpapers and easy-to-read indicator labels!





3-gang switch



4-gang switch



Rotary dimmer



Automatic switch



Telephone socket



FM-TV socket



Fan speed control



BS socket outlet



Indicator for Do not disturb /
Clean up and bell push-button



Data socket



Multistandard switched socket outlets



NOW




Not only does Mallia™ offer form and function, we also take care to ensure that the installation process is effortless.



The resilient and flexible material used for the plates makes them easy to mount on uneven surfaces.




Slim mechanism design leaves room for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



The safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



Top access screws for connecting the wires make installation a piece of cake.

SHOP

There's no better test for our relationship than to make a durable commitment. Let's take the next step together. Start shopping.



Mallia™

single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669-1
Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 31) The LED is not supplied
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669-1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
Double pole switches 20 AX - 250 V~		
10	2 810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White
Double pole switches 45 A - 250 V~		
10	2 810 71	1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™

push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 75

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
10	2 810 41	Conform to BS EN 60669-1 N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White
1	2 810 86	RLC + LED dimmer Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable bulbs: - dimmable LED: 5 to 75 W (10 bulbs max.) - dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	2 810 80	Leading edge dimmers Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V~ 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 85	Rotary dimmer 60-1000 W (230 V) 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers ○ White

Pack	Cat.Nos	Fan speed controls
1	2 810 82	Conform to BS EN 60669-2-1 5-speed fan control 100 W for fan with overall diameter 48" ○ White
5	2 810 75	Cooker control unit 45 A - 250 V~ Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White
1	2 810 90	Automatic switch Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White



Polycarbonate front cover plates with a matt finish. Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes. Supplied complete with plate. Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets	Pack	Cat.Nos	Television sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 55S	For DVBT and satellite installation (with individual demodulator) DVBT HDTV compatible TV: male connector (Ø9.5 mm) R: female connector (Ø9.5 mm) SAT: "F" type connector Recommended coaxial cable: 17 VATC White Duplex SCV TV/FM type F ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White 	5	2 811 57	TV-R-SAT socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz SAT: 950-2400 MHz Star low attenuation 1.5 dB ○ White 
5	2 811 68	BS master telephone sockets ○ White 	5	2 811 53	TV-R socket TV: 5-68/120 - 862 MHz R: 87.5-108 MHz Star 1.5 dB ○ White 
5	2 811 69	BS secondary telephone sockets ○ White 	10	2 811 51	TV socket TV: 0-2400 MHz Star low attenuation 1 dB ○ White 
5	2 811 61	Data sockets RJ 45 Cat. 5e UTP ○ White 	10	2 811 52	TV socket "F" type with screws SAT: 0-2400 MHz Star attenuation 1 dB ○ White 
5	2 811 62	RJ 45 Cat. 6 UTP ○ White 	1	2 811 35	Shaver socket Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz. Dim.: 86 x 146 mm ○ White 
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White 	10	2 811 47	Cable outlets Conform to BS 5733 20 A ○ White 
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White 	5	2 811 48	45 A ○ White 
5	2 811 66	Telephone and data sockets RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White 			

Mallia™

British standard socket outlets and fused connection units - complete white



Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2 811 12	2 gang unswitched Dim.: 146 x 86 mm ○ White
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched Dim.: 146 x 86 mm ○ White
5	2 811 15	2 gang - single pole switched with red power indicator Dim.: 146 x 86 mm ○ White
10	2 811 16	1 gang - double pole switched ○ White
10	2 811 18	1 gang - double pole switched with red power indicator ○ White
5	2 811 17	2 gang - double pole switched Dim.: 146 x 86 mm ○ White
5	2 811 19	2 gang - double pole switched with red power indicator Dim.: 146 x 86 mm ○ White

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 28	Conform to BS 546 1 gang switched ○ White
10	2 811 32	Conform to BS 546 1 gang switched ○ White
10	2 811 40	13 A fused connection units Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White



2 811 22

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

Pack	Cat.Nos	German standard socket outlet 16 A - 250 V~
10	2 811 26	2P+E - 1 gang ○ White

10	2 811 26	2P+E - 1 gang ○ White
----	----------	-------------------------------------

Pack	Cat.Nos	Multistandard switched socket outlets 16 A - 250 V~ 15 A - 127 V
10	2 811 20	2P+E - 1 gang ○ White
10	2 811 22	2P+E - 2 gang ○ White

10	2 811 20	2P+E - 1 gang ○ White
10	2 811 22	2P+E - 2 gang ○ White

Pack	Cat.Nos	US standard socket outlets 15 A - 127 V
10	2 811 05	2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

10	2 811 05	2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White



2 818 55

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Dim.: 146 x 86 mm

Pack	Cat.Nos	Socket outlets modular mechanisms
5	2 818 55	To be equipped with 2-gang support frame and plates (p. 32) 1 gang unswitched - British standard - 13 A - 250 V~ ○ White
8	2 818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~ ○ White

5	2 818 55	To be equipped with 2-gang support frame and plates (p. 32) 1 gang unswitched - British standard - 13 A - 250 V~ ○ White
8	2 818 47	2P+E - 1 gang - Euro - US standard - 10/16 A - 250 V~ ○ White

Mallia™

switches for hotels, downlighter and sound distribution - complete white



2 810 48



2 810 97



2 811 82



2 811 84

Polycarbonate front cover plates with a matt finish
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s  ○ White
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button  ○ White
10	GT281046	DND / MUR - 2 Gang Switch Without Wording ○ White
1	GT281048	Key Card Switch -15A Without Wording ○ White
10	2 810 46	Do not disturb / Clean up - 2 gang switch  ○ White
5	2 810 97	Downlighter Low output downlighter 230 V~, with LED 2P+E - 1 gang  ○ White



2 838 00



2 830 02



2 820 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts p. 35

Conform to BS EN 60669-1

Painted polycarbonate front cover

Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes

To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch
5	2 832 00	● Silver
5	2 834 00	● Pearl
5	2 838 00	● Dark Silver
5	2 820 00	● Champagne
		● Matt Black
5	2 830 01	1 gang - 2-way switch
5	2 832 01	● Silver
5	2 834 01	● Pearl
5	2 838 01	● Dark Silver
5	2 820 01	● Champagne
		● Matt Black
4	2 830 08	1 gang - intermediate switch
4	2 832 08	● Silver
4	2 834 08	● Pearl
4	2 838 08	● Dark Silver
	2 820 08	● Champagne
		● Matt Black
5	2 830 02	2 gang - 1-way switch
5	2 832 02	● Silver
5	2 834 02	● Pearl
5	2 838 02	● Dark Silver
5	2 820 02	● Champagne
		● Matt Black
5	2 830 03	2 gang - 2-way switch
5	2 832 03	● Silver
5	2 834 03	● Pearl
5	2 838 03	● Dark Silver
5	2 820 03	● Champagne
		● Matt Black
5	2 830 04	3 gang - 1-way switch
5	2 832 04	● Silver
5	2 834 04	● Pearl
5	2 838 04	● Dark Silver
5	2 820 04	● Champagne
		● Matt Black
5	2 830 05	3 gang - 2-way switch
5	2 832 05	● Silver
5	2 834 05	● Pearl
5	2 838 05	● Dark Silver
5	2 820 05	● Champagne
		● Matt Black
5	2 830 06	4 gang - 1-way switch
5	2 832 06	● Silver
5	2 834 06	● Pearl
5	2 838 06	● Dark Silver
5	2 820 06	● Champagne
		● Matt Black
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes
5	2 830 07	4 gang - 2-way switch
5	2 832 07	● Silver
5	2 834 07	● Pearl
5	2 838 07	● Dark Silver
5	2 820 07	● Champagne
		● Matt Black
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens
		To be equipped with green or red LED according to the needs: indicator or locator (p. 31)
		The LED is not supplied
5	2 830 10	1 gang - 1-way switch
5	2 832 10	● Silver
5	2 834 10	● Pearl
		● Dark Silver
5	2 830 11	1 gang - 2-way switch
5	2 832 11	● Silver
5	2 834 11	● Pearl
		● Dark Silver
4	2 830 09	1 gang - intermediate switch
4	2 832 09	● Silver
4	2 834 09	● Pearl
4	2 820 09	● Dark Silver
		● Matt Black
5	2 830 12	2 gang - 1-way switch
5	2 832 12	● Silver
5	2 834 12	● Pearl
		● Dark Silver
5	2 830 13	2 gang - 2-way switch
5	2 832 13	● Silver
5	2 834 13	● Pearl
		● Dark Silver
5	2 830 14	3 gang - 1-way switch
5	2 832 14	● Silver
5	2 834 14	● Pearl
		● Dark Silver
5	2 830 15	3 gang - 2-way switch
5	2 832 15	● Silver
5	2 834 15	● Pearl
		● Dark Silver
5	2 830 16	4 gang - 1-way switch
5	2 832 16	● Silver
5	2 834 16	● Pearl
		● Dark Silver
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes
5	2 830 17	4 gang - 2-way switch
5	2 832 17	● Silver
5	2 834 17	● Pearl
		● Dark Silver
		Compatible with metal boxes only, for installation fold the vertical lugs of the boxes

Mallia™

single pole switches and double pole switches - customisable colours



2 838 50



2 834 53



2 830 54



2 820 62



2 834 66



Plate selection charts p. 35

Conform to BS EN 60669-1
Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 50	
5	2 834 50	
5	2 838 50	
5	2 820 50	
5	2 830 51	1 gang - 2-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 51	
5	2 834 51	
5	2 838 51	
5	2 820 51	
4	2 830 69	1 gang - intermediate switch - Silver - Pearl - Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 52	
5	2 834 52	
5	2 838 52	
5	2 820 52	
5	2 830 53	2 gang - 2-way switch - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 53	
5	2 834 53	
5	2 838 53	
5	2 820 52	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 54	
5	2 834 54	
5	2 838 54	
5	2 820 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 55	
5	2 834 55	
5	2 838 55	
5	2 820 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	1 gang - 1-way - Silver - Pearl - Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 61	
5	2 834 61	
5	2 838 61	
5	2 820 61	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 62	
5	2 834 62	
5	2 838 62	
5	2 820 62	
5	2 830 65	2 gang - 1-way with LED power indicator - Silver - Pearl - Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet - Silver - Pearl - Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking - Silver - Pearl - Dark Silver
5	2 832 68	
5	2 834 68	
5	2 830 71	Double pole switches 45 A - 250 V~ 1 gang - 1-way with red indicator - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 71	
5	2 834 71	
5	2 838 71	
5	2 820 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking - Silver - Pearl - Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 31) - Silver - Pearl - Dark Silver - Champagne - Matt Black
5	2 832 73	
5	2 834 73	
5	2 838 73	
5	2 820 73	



2 830 84



2 834 90



2 838 86



2 817 75


Plate selection charts **p. 35**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space

Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Push-buttons 10 A - 250 V~
5	2 830 41	 Conform to BS EN 60669-1 N/O contact (push to make) ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 41	
5	2 834 41	
5	2 838 41	
5	2 820 41	
5	2 830 40	 N/O contact with bell symbol ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 832 40	
5	2 834 40	
5	2 838 40	
5	2 820 40	
1	2 830 86	 RLC + LED dimmer Rotary dimmer without neutral Conform to BS EN 60669-2-1 100-240 V~ for all types of dimmable bulbs: - dimmable LED: 5 to 75 W (10 bulbs max.) - dimmable compact fluorescent bulbs: 5 to 75 W (10 bulbs max.) - fluorescent tube with ballast: 5 to 300 VA - halogen and incandescent: 5 to 300 W - electronic or ferromagnetic transformers: 5 to 300 VA When switched on, gradually (2 seconds) lights up at the level set before last switch off
1	2 832 86	
1	2 834 86	
1	2 838 86	
1	2 820 86	

1	2 830 80	 Leading edge dimmers Conform to BS EN 60669-2-1 Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~. 60-500 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39
1	2 832 80	
1	2 834 80	
1	2 838 80	
1	2 820 80	
1	2 830 84	 Rotary control dimmer + switch 60-500 W for incandescent and halogen lamps 230 V~. 60-200 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39
1	2 832 84	
1	2 834 84	
1	2 830 85	 Rotary dimmer 60-1000 W (230 V) - 60-500 W (127 V) for incandescent and halogen lamps 60-600 VA (230 V) 60-300 VA (127 V) for halogen lamps with electronic transformer with leading edge behaviour. 60-1000 VA (230 V) 60-500 W (127 V) for halogen lamps with ferromagnetic transformers
1	2 832 85	
1	2 834 85	

Pack	Cat.Nos	Dimmer Switch
1	078404M	Dimmer switch Mosaic - 0-10 V - for electronic ballasts - 2 modules (Square) with Arteor adapter Mallia ○ White Rotary control dimmer Galea life - 1-10V electronic potentiometer with Galea cover plate and frame ○ White
1	775901M	
1	2 830 82	 Fan speed controls Conform to BS EN 60669-2-1 5-speed fan controls 100 W for fan with overall diameter 48"
1	2 832 82	
1	2 834 82	
5	2 812 75	 Cooker control units 45 A - 250 V~ Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm
5	2 832 75	
5	2 834 75	
5	2 817 75	
5	2 820 75	
1	2 830 90	 Automatic switches Conform to BS EN 60669-2-1 IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~
1	2 832 90	
1	2 834 90	

Mallia™

telephone, data, television, shaver sockets and cable outlets - customisable colours



2 831 62



2 835 65



2 835 51



2 839 35

Plate selection charts **p. 35**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space.
Supplied with 2 screws M 3.5 for BS boxes. To be equipped with plates - Dim.: 86 x 86 mm

Pack	Cat.Nos	Telephone sockets
		RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 831 60	Silver
5	2 833 60	Pearl
5	2 835 60	Dark Silver
5	2 839 60	Champagne
5	2 821 60	Matt Black
		Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector
5	2 831 63	Silver
5	2 833 63	Pearl
5	2 835 63	Dark Silver
		BS master telephone sockets
5	2 831 68	Silver
5	2 833 68	Pearl
5	2 835 68	Dark Silver
		BS secondary telephone sockets
5	2 831 69	Silver
5	2 833 69	Pearl
5	2 835 69	Dark Silver

Pack	Cat.Nos	Data sockets
		RJ 45 Cat. 5e UTP
5	2 831 61	Silver
5	2 833 61	Pearl
5	2 835 61	Dark Silver
5	2 839 61	Champagne
5	2 821 61	Matt Black
		RJ 45 Cat. 6 UTP
5	2 831 62	Silver
5	2 833 62	Pearl
5	2 835 62	Dark Silver
5	2 839 62	Champagne
5	2 821 61	Matt Black
		Double RJ 45 Cat. 5e UTP
5	2 831 64	Silver
5	2 833 64	Pearl
5	2 835 64	Dark Silver
5	2 839 65	Champagne
5	2 821 65	Matt Black
		Double RJ 45 Cat. 6 UTP
5	2 831 65	Silver
5	2 833 65	Pearl
5	2 835 65	Dark Silver

Pack	Cat.Nos	Telephone and data sockets
		RJ 11 + RJ 45 sockets Cat. 5e UTP
5	2 831 66	Silver
5	2 833 66	Pearl
5	2 835 66	Dark Silver
		White RJ11/RJ45 Cat 5e socket
5	2 841 66S	Champagne
5	2 821 66S	Matt Black
		RJ11/RJ45 Cat6 Socket
5	2 811 66S	White
5	2 831 66S	Silver
5	2 835 66S	Dark Silver

Pack	Cat.Nos	Television sockets
		For DVBT and satellite installation (with individual demodulator) Recommended coaxial cable 17 VATC
		TV-R-SAT sockets - star attenuation 1.5 dB TV: 5-68/120-862 MHz. R: 87.5-108 MHz SAT: 550-2400 MHz. TV: male connector (Ø9.5 mm)
5	2 831 57	Silver
5	2 833 57	Pearl
5	2 835 57	Dark Silver
5	2 839 57	Champagne
5	2 821 57	Matt Black
		TV-R sockets- star attenuation 1.5 dB TV: 5-68/120-862 MHz R: 87.5-108 MHz
5	2 831 53	Silver
5	2 833 53	Pearl
5	2 835 53	Dark Silver
		TV sockets - star attenuation 1.5 dB TV: 0-2400 MHz
5	2 831 51	Silver
5	2 833 51	Pearl
5	2 835 51	Dark Silver
5	2 839 51	Champagne
5	2 821 51	Matt Black
		TV sockets "F" type with screws-star attenuation 1.5 dB SAT: 0-2400 MHz
5	2 831 52	Silver
5	2 833 52	Pearl
5	2 835 52	Dark Silver
5	2 839 52	Champagne
5	2 821 52	Matt Black
		White Duplex SCV TV/FM Type F
1	2 811 55S	White
1	2 831 55S	Silver
1	2 835 55S	Dark Silver
1	2 833 55S	Pearl
1	2 815 55S	Champagne

Pack	Cat.Nos	Shaver sockets
		Conform to BS EN 61558-2-5 230 V / 120 V~ - 50/60 Hz Dim.: 86 x 146 mm
1	2 831 35	Silver
1	2 833 35	Pearl
1	2 835 35	Dark Silver
1	2 839 35	Champagne
1	2 821 35	Matt Black

Pack	Cat.Nos	Cable outlets
		Conform to BS 5733
		20 A
5	2 831 47	Silver
5	2 833 47	Pearl
5	2 835 47	Dark Silver
5	2 839 47	Champagne
5	2 821 47	Matt Black
		45 A - supplied complete with plate
5	2 831 48	Silver
5	2 833 48	Pearl
5	2 835 48	Dark Silver
5	2 839 48	Champagne



2 839 13



2 817 16



2 821 28



2 833 42


Plate selection charts **p. 35**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space
Supplied with 2 screws. M 3.5 for BS boxes. All sockets integrate child protection. To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~	
		Conform to BS 1363: Part 2	
		1 gang unswitched	
5	2 831 10		Silver
5	2 833 10		Pearl
5	2 835 10		Dark Silver
5	2 839 10		Champagne
5	2 821 10		Matt Black
		2 gang unswitched - Dim.: 146 x 86 mm	
5	2 831 12		Silver
5	2 833 12		Pearl
5	2 835 12		Dark Silver
5	2 839 12		Champagne
5	2 821 12		Matt Black
		1 gang - single pole switched	
5	2 831 11		Silver
5	2 833 11		Pearl
5	2 835 11		Dark Silver
5	2 839 11		Champagne
5	2 821 11		Matt Black
		1 gang - single pole switched with red power indicator	
5	2 831 14		Silver
5	2 833 14		Pearl
5	2 835 14		Dark Silver
5	2 839 14		Champagne
		2 gang - single pole switched - Dim.: 146 x 86 mm	
5	2 831 13		Silver
5	2 833 13		Pearl
5	2 835 13		Dark Silver
5	2 839 13		Champagne
5	2 821 13		Matt Black
		2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm	
5	2 831 15		Silver
5	2 833 15		Pearl
5	2 835 15		Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~	
		Supplied complete with plate	
		1 gang - double pole switched	
5	2 813 16		Silver
5	2 816 16		Pearl
5	2 817 16		Dark Silver
10	2 818 16		Champagne
10	2 821 16		Matt Black
		1 gang - double pole switched with red power indicator	
5	2 813 18		Silver
5	2 816 18		Pearl
5	2 817 18		Dark Silver
10	2 818 18		Champagne

Pack	Cat.Nos	2 gang British standard 13A Switched + USB	
1	2 811 36		White
1	2 831 36		Silver
1	2 833 36		Pearl
1	2 835 36		Dark Silver
1	2 839 36		Champagne
1	2 821 36		Matt Black
Pack	Cat.Nos	1 gang British standard 13A UNSWITCHED + USB	
1	2 811 33		White
1	2 831 33		Silver
1	2 833 33		Pearl
1	2 835 33		Dark Silver
1	2 839 33		Champagne
Pack	Cat.Nos	1 gang British standard 13A SP SWITCHED + USB	
1	2 811 34		White
1	2 831 34		Silver
1	2 833 34		Pearl
1	2 835 34		Dark Silver
1	2 839 34		Champagne
1	2 821 34		Matt Black

Mallia™ - Euro-US and German standard socket outlets

customisable colours



2 835 02



2 839 22



Plate selection charts p. 35

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
5	2 813 17	 2 gang - double pole switched - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 816 17	
5	2 817 17	
5	2 818 17	
5	2 821 17	
5	2 813 19	 2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 816 19	
5	2 817 19	
5	2 818 19	
5	2 821 19	
Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
5	2 831 28	 1 gang switched ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 833 28	
5	2 835 28	
5	2 839 28	
5	2 821 28	
5	2 831 32	 1 gang switched ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 833 32	
5	2 835 32	
5	2 839 32	
5	2 821 32	
Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
5	2 831 40	 Unswitched ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 833 40	
5	2 835 40	
5	2 839 40	
5	2 821 40	
5	2 831 41	 Switched ● Silver ● Pearl ● Dark Silver
5	2 833 41	
5	2 835 41	
5	2 831 42	 Switched with red LED power indicator ● Silver ● Pearl ● Dark Silver ● Champagne
5	2 833 42	
5	2 835 42	
5	2 839 42	

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
5	2 831 01	 2P - 1 gang + 10 A switch ● Silver ● Pearl ● Dark Silver
5	2 833 01	
5	2 835 01	
5	2 831 02	 2P - 2 gang (separated connection) ● Silver ● Pearl ● Dark Silver
5	2 833 02	
5	2 835 02	
5	2 831 03	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 833 03	
5	2 835 03	
5	2 839 03	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 821 03	
5	2 831 04	
5	2 833 04	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 835 04	
5	2 839 04	
5	2 821 04	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver ● Matt Black
5	2 831 26	
5	2 833 26	
5	2 835 26	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver ● Matt Black
5	2 821 26	
5	2 831 20	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 833 20	
5	2 835 20	
5	2 839 20	
5	2 821 20	
4	2 831 22	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
4	2 833 22	
4	2 835 22	
4	2 839 22	
4	2 821 22	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver ● Champagne ● Matt Black
5	2 831 05	
5	2 833 05	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver
5	2 835 05	
5	2 831 06	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver
5	2 833 06	
5	2 835 06	
Pack	Cat.Nos	US standard socket outlets 15 A - 127 V - SASO
5	2 831 05	 2P+E - 1 gang ● Silver ● Pearl ● Dark Silver
5	2 833 05	
5	2 835 05	
5	2 831 06	 2P+E - 2 gang ● Silver ● Pearl ● Dark Silver
5	2 833 06	
5	2 835 06	



2 811 23



2 838 45



2 834 97

 Plate selection charts **p. 35**

Painted polycarbonate front cover

Pack	Cat.Nos	Multi Standard Switched Socket Outlet	
		2 gang Multi Standard Switched Socket outlet + USB	
1	2 811 23	○ White	
1	2 831 23	● Silver	
1	2 833 23	● Pearl	
1	2 835 23	● Dark Silver	
1	2 839 23	● Champagne	
1	2 821 23	● Matt Black	
		1 gang Multi Standard Switched Socket outlet + USB	
1	2 811 21	○ White	
1	2 831 21	● Silver	
1	2 833 21	● Pearl	
1	2 835 21	● Dark Silver	
1	2 839 21	● Champagne	
1	2 821 21	● Matt Black	

 Plate selection charts **p. 35**

Painted polycarbonate front cover
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
To be equipped with plates
Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~	
		Key card switches - 15 A	
		Time delay around 30 s	
1	2 830 48	● Silver	
1	2 832 48	● Pearl	
1	2 834 48	● Dark Silver	
1	2 838 48	● Champagne	
1	2 820 48	● Matt Black	
		Do not disturb / Occupied / Clean up Bell push-buttons	
5	2 830 45	● Silver	
5	2 832 45	● Pearl	
5	2 834 45	● Dark Silver	
5	2 838 45	● Champagne	
5	2 820 45	● Matt Black	
		Do not disturb / Clean up - 2 gang switches	
5	2 830 46	● Silver	
5	2 832 46	● Pearl	
5	2 834 46	● Dark Silver	
5	2 838 46	● Champagne	
5	2 820 46	● Matt Black	
		Downlighters	
		Low output downlighters 230 V~, with LED	
5	2 830 97	● Silver	
5	2 832 97	● Pearl	
5	2 834 97	● Dark Silver	

Multigangs Horizontal


Pack	Cat.Nos	2 Gang Plate White	
5	2 816 20	○ White	
5	2 816 21	● Silver	
5	2 816 23	● Pearl	
5	2 816 24	● Dark Silver	
5	2 816 22	● Champagne	
5	2 816 27	● Matt Black	
		3 Gang Plate White	
5	2 816 30	○ White	
5	2 816 31	● Silver	
5	2 816 33	● Pearl	
5	2 816 34	● Dark Silver	
5	2 816 32	● Champagne	
5	2 816 37	● Matt Black	
		4 Gang Plate White	
5	2 816 40	○ White	
5	2 816 41	● Silver	
5	2 816 43	● Pearl	
5	2 816 44	● Dark Silver	
5	2 816 42	● Champagne	
5	2 816 47	● Matt Black	

Mallia™


multigangs horizontal

Mallia™

surface-mounting boxes



6 133 50



6 133 51

Pack Cat.Nos **Multigangs Horizontal**

5 Gang Plate White	
5	2 816 50
5	2 816 51
5	2 816 53
5	2 816 54
5	2 816 52
5	2 816 57

- White
- Silver
- Pearl
- Dark Silver
- Champagne
- Matt Black

10A Switch Phosphorescent Lens

1 Gang 1 Way	
10	GT281000PBL
10	GT283000PBL
10	GT283600PBL
10	GT282000PBL
2 Gang 1 Way	
10	GT281002PBL
10	GT283002PBL
10	GT283602PBL
10	GT282002PBL
3 Gang 1 Way	
10	GT281004PBL
10	GT283004PBL
10	GT283604PBL
10	GT282004PBL
4 Gang 1 Way	
10	GT281006PBL
10	GT283006PBL
10	GT283606PBL
10	G1282006PBL

- White
- Silver
- Dark Silver
- Matt Black
- White
- Silver
- Dark Silver
- Matt Black
- White
- Silver
- Dark Silver
- Matt Black
- White
- Silver
- Dark Silver
- Matt Black

10A Push Button Switch

2 Gang 1 Way	
10	GT281002PB
10	GT282002PB
10	GT283002PB
10	GT283602PB
3 Gang 1 Way	
10	GT281004PB
10	GT282004PB
10	GT283004PB
10	G7283604PB
4 Gang 1 Way	
10	GT281006PB
10	GT282006PB
10	GT283006PB
10	G7283606PB

- White
- Silver
- Dark Silver
- Matt Black
- White
- Silver
- Dark Silver
- Matt Black
- White
- Silver
- Dark Silver
- Matt Black

Pack Cat.Nos **Surface-mounting boxes**

8	6 133 50	1 gang surface box - supplied with earth terminal
---	----------	---



4	6 133 51	2 gang surface box - supplied with earth terminal
---	----------	---





2 810 00G



2 810 00GG



2 810 00R



2 810 00RR

picture or color are for illustration purposes

Conform to BS EN 60669-1
Polycarbonate front cover plates
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	1 Gang 10Ax Switch
10	281000G	1 Gang 1 Way 10Ax Switch c/w Green Rocker 
10	281000GG	1 Gang 1 Way 10Ax Switch c/w Complete Green Faceplate 
10	281000R	1 Gang 1 Way 10Ax Switch c/w Red Rocker 
10	281000RR	1 Gang 1 Way 10Ax Switch c/w Complete Red Faceplate 
10	281001G	1 Gang 2 Way 10Ax Switch c/w Green Rocker 
10	281001GG	1 Gang 2 Way 10Ax Switch c/w Complete Green Faceplate 
10	281001R	1 Gang 2 Way 10Ax Switch c/w Red Rocker 
10	281001RR	1 Gang 2 Way 10Ax Switch c/w Complete Red Faceplate 


Pack	Cat.Nos	2 Gang 10Ax Switch
10	281002G	2 Gang 1 Way 10Ax Switch c/w Green Rocker 
10	281002GG	2 Gang 1 Way 10Ax Switch c/w Complete Green Faceplate 
10	281002R	2 Gang 1 Way 10Ax Switch c/w Red Rocker 
10	281002RR	2 Gang 1 Way 10Ax Switch c/w Complete Red Faceplate 
10	281003G	2 Gang 2 Way 10Ax Switch c/w Green Rocker 
10	281003GG	2 Gang 2 Way 10Ax Switch c/w Complete Green Faceplate 
10	281003R	2 Gang 2 Way 10Ax Switch c/w Red Rocker 
10	281003RR	2 Gang 2 Way 10Ax Switch c/w Complete Red Faceplate 

Mallia™

health care application



2 810 04G



2 810 04GG



2 810 05R



2 810 05RR

picture or color are for illustration purposes

Conform to BS EN 60669-1
Polycarbonate front cover plates
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	3 Gang 10Ax Switch
10	281004G	3 Gang 1 Way 10Ax Switch c/w Green Rocker 
10	281004GG	3 Gang 1 Way 10Ax Switch c/w Complete Green Faceplate 
10	281004R	3 Gang 1 Way 10Ax Switch c/w Red Rocker 
10	281004RR	3 Gang 1 Way 10Ax Switch c/w Complete Red Faceplate 
10	281005G	3 Gang 2 Way 10Ax Switch c/w Green Rocker 
10	281005GG	3 Gang 2 Way 10Ax Switch c/w Complete Green Faceplate 
10	281005R	3 Gang 2 Way 10Ax Switch c/w Red Rocker 
10	281005RR	3 Gang 2 Way 10Ax Switch c/w Complete Red Faceplate 

Pack	Cat.Nos	4 Gang 10Ax Switch
10	281006G	4 Gang 1 Way 10Ax Switch c/w Green Rocker 
10	281006GG	4 Gang 1 Way 10Ax Switch c/w Complete Green Faceplate 
10	281006R	4 Gang 1 Way 10Ax Switch c/w Red Rocker 
10	281006RR	4 Gang 1 Way 10Ax Switch c/w Complete Red Faceplate 
10	281007G	4 Gang 2 Way 10Ax Switch c/w Green Rocker 
10	281007GG	4 Gang 2 Way 10Ax Switch c/w Complete Green Faceplate 
10	281007R	4 Gang 2 Way 10Ax Switch c/w Red Rocker 
10	281007RR	4 Gang 2 Way 10Ax Switch c/w Complete Red Faceplate 

Pack	Cat.Nos	1 Gang Intermediate Switch
10	281008R	White Intermediate 10AX SW Red Rocker 



picture or color are for illustration purposes

Polycarbonate front cover plates
Compact mechanism for a larger wiring space
Supplied with 2 screws M 3.5 for BS boxes
All sockets integrate child protection
Supplied complete with plate
Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	281111G	13A 1 Gang SSO c/w Green Rocker
10	281111GG	13A 1 Gang SSO c/w Complete Green Faceplate
10	281111R	13A 1 Gang SSO c/w Red Rocker
10	281111RR	13A 1 Gang SSO c/w Complete Red Faceplate
10	281128G	15A 1 Gang SSO c/w Green Rocker
10	281128GG	15A 1 Gang SSO c/w Complete Green Faceplate
10	281128RR	15A 1 Gang SSO c/w Complete Red Faceplate

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	281113G	13A 2 Gang SSO c/w Green Rocker
10	281113GG	13A 2 Gang SSO c/w Complete Green Faceplate
10	281113R	13A 2 Gang SSO c/w Red Rocker
10	281113RR	13A 2 Gang SSO c/w Complete Red Faceplate


Mallia™

plates, blanking plates, Arteor adaptors and accessories - customisable



Pack	Cat.Nos	Plates
10	2 819 00	1 gang - plastic
10	2 819 05	○ White
10	2 819 10	● Silver
10	2 819 50	● Champagne
10	2 819 55	● Pearl
10	2 819 60	● Dark Silver
10	2 819 65	● Brass
10	2 819 70	● Bronze
10	2 819 75	● Matt Black
10	2 819 75	● Copper
1	2 819 78	1 gang - metal
1	2 819 82	● Brushed Stainless Steel
1	2 819 86	● Gold
1	2 819 90	● Polished Stainless Steel
1	2 819 90	● Lacquered Black
5	2 819 01	2 x 1 gang - plastic
5	2 819 06	○ White
5	2 819 11	● Silver
5	2 819 51	● Champagne
5	2 819 56	● Pearl
5	2 819 61	● Dark Silver
5	2 819 66	● Brass
5	2 819 71	● Bronze
5	2 819 76	● Matt Black
5	2 819 76	● Copper
1	2 819 79	2 x 1 gang - metal
1	2 819 83	● Brushed Stainless Steel
1	2 819 87	● Gold
1	2 819 91	● Polished Stainless Steel
1	2 819 91	● Lacquered Black
5	2 819 02	2 gang - Vertical
5	2 819 07	○ White
5	2 819 12	● Silver
5	2 819 52	● Champagne
5	2 819 57	● Pearl
5	2 819 62	● Dark Silver
5	2 819 67	● Brass
5	2 819 72	● Bronze
5	2 819 77	● Matt Black
1	2 819 80	● Copper
1	2 819 84	● Brushed Stainless Steel
1	2 819 88	● Gold
1	2 819 92	● Polished Stainless Steel
1	2 819 92	● Lacquered Black

Pack	Cat.Nos	Blanking plates
10	2 811 90	1 gang
10	2 831 90	○ White
10	2 833 90	● Silver
10	2 835 90	● Pearl
10	2 818 90	● Dark Silver
10	2 821 90	● Champagne
10	2 821 90	● Matt Black
5	2 811 91	2 gang
5	2 831 91	○ White
5	2 833 91	● Silver
5	2 835 91	● Pearl
5	2 835 91	● Dark Silver
5	2 811 92	Arteor adaptors
5	2 831 92	1 gang
5	2 833 92	○ White - Supplied with cover plate
5	2 835 92	● Silver - Not supplied with cover plate
5	2 818 92	● Pearl - Not supplied with cover plate
5	2 821 92	● Dark Silver - Not supplied with cover plate
5	2 821 92	● Champagne - Not supplied with cover plate
5	2 821 92	● Matt Black - Not supplied with cover plate
5	2 811 93	2 gang
5	2 831 93	○ White - Supplied with cover plate
5	2 833 93	● Silver - Not supplied with cover plate
5	2 835 93	● Pearl - Not supplied with cover plate
5	2 835 93	● Dark Silver - Not supplied with cover plate
5	2 818 95	Transparent rockers with label holders for switches
5	2 818 96	Can be used instead of the standard rocker plates
5	2 818 97	Supplied with white labels
10	2 819 97	Lamps
10	2 819 98	LED 220 V, green low consumption
10	2 819 98	For locator use
10	2 819 98	LED 220 V, red - high luminosity
10	2 819 98	For indicator use

PLATES				
		1 gang	2 x 1 gang	2 gang
White 		2 819 00	2 819 01	2 819 02
Silver 		2 819 05	2 819 06	2 819 07
Champagne 		2 819 10	2 819 11	2 819 12
Pearl 		2 819 50	2 819 51	2 819 52
Dark Silver 		2 819 55	2 819 56	2 819 57
Brass 		2 819 60	2 819 61	2 819 62
Bronze 		2 819 65	2 819 66	2 819 67
Matt Black 		2 819 70	2 819 71	2 819 72
Copper 		2 819 75	2 819 76	2 819 77
Metal Brushed Stainless Steel 		2 819 78	2 819 79	2 819 80
Metal Gold 		2 819 82	2 819 83	2 819 84
Metal Polished Stainless Steel 		2 819 86	2 819 87	2 819 88
Metal Lacquered Black 		2 819 90	2 819 91	2 819 92
PLATES				
		1 gang	2 x 1 gang	1 gang
White 		2 811 90	2 811 91	2 811 92
Silver 		2 831 90	2 831 91	2 831 92
Pearl 		2 833 90	2 833 91	2 833 92
Dark Silver 		2 835 90	2 835 91	2 835 92
Champagne  		2 818 90	-	2 818 92
Matt Black  		2 821 90	-	2 821 92

Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.
2 810 00			2 810 13	10	17	281113G	10	34	2 815 00			2 819 76	5	34	2 821 13	5	28
			2 810 14	10	17	281113GG	10	34				2 819 77	5	34	2 821 16	10	28
2 810 00	10	17	2 810 15	10	17	281113R	10	34	2 816 16	5	28	2 819 78	1	34	2 821 17	5	28
281000G	10	32	2 810 16	10	17	281113RR	10	34	2 816 17	5	28	2 819 79	1	34	2 821 19	5	28
281000GG	10	32	2 810 17	10	17	2 811 14	10	21	2 816 18	5	28	2 819 80	1	34	2 821 20	5	29
281000R	10	32	2 810 40	10	19	2 811 15	5	21	2 816 19	5	28	2 819 82	1	34	2 821 22	4	29
281000RR	10	32	2 810 41	10	19	2 811 16	10	21	2 817 16	5	28	2 819 83	1	34	2 821 26	5	29
2 810 01	10	17	2 810 45	10	23	2 811 17	5	21	2 817 17	5	28	2 819 84	1	34	2 821 28	5	28
281001G	10	32	2 810 46	10	23	2 811 18	10	21	2 817 18	5	28	2 819 86	1	34	2 821 32	5	28
281001GG	10	32	2 810 48	1	23	2 811 19	5	21	2 817 19	5	28	2 819 87	1	34	2 821 35	1	27
281001R	10	32	2 810 50	10	18	2 811 20	10	22	2 817 75	5	26	2 819 88	1	34	2 821 40	5	28
281001RR	10	32	2 810 51	10	18	2 811 21	10	30	2 818 16	10	28	2 819 90	1	34	2 821 47	5	27
2 810 02	10	17	2 810 52	10	18	2 811 22	10	22	2 818 17	5	28	2 819 91	1	34	2 821 51	5	27
281002G	10	32	2 810 53	10	18	2 811 23	10	30	2 818 18	10	28	2 819 92	1	34	2 821 52	5	27
281002GG	10	32	2 810 54	10	18	2 811 26	10	22	2 818 19	5	28	2 819 97	10	34	2 821 57	5	27
281002R	10	32	2 810 55	10	18	2 811 28	10	21	2 818 47	8	22	2 819 98	10	34	2 821 60	5	27
281002RR	10	32	2 810 60	10	18	281128G	10	34	2 818 55	5	22	2 820 00			2 821 61	5	27
2 810 03	10	17	2 810 61	10	18	281128GG	10	34	2 818 68	8	29				2 821 62	5	27
281003G	10	32	2 810 62	10	18	281128RR	10	34	2 818 90	10	35	2 820 00	5	24	2 821 65	5	27
281003GG	10	32	2 810 65	10	18	2 811 32	10	21	2 818 92	5	35	2 820 01	5	24	2 821 90	10	34
281003R	10	32	2 810 66	10	18	2 811 35	1	20	2 818 95	5	35	2 820 02	5	24	2 821 92	5	34
281003RR	10	32	2 810 67	10	18	2 811 40	10	21	2 818 96	5	35	2 820 03	5	24	2 830 00		
2 810 04	10	17	2 810 68	10	18	2 811 41	10	21	2 818 97	5	35	2 820 04	5	24			
281004G	10	33	2 810 69	4	18	2 811 42	10	21	2 819 00	10	35	2 820 05	5	24	2 830 00	5	24
281004GG	10	33	2 810 71	10	18	2 811 47	10	20	2 819 01	5	35	2 820 06	5	24	2 830 01	5	24
281004R	10	33	2 810 72	10	18	2 811 48	5	20	2 819 02	5	35	2 820 07	5	24	2 830 02	5	24
281004RR	10	33	2 810 73	5	18	2 811 51	10	20	2 819 05	10	35	2 820 08	5	24	2 830 03	5	24
2 810 05	10	17	2 810 75	5	19	2 811 52	10	20	2 819 06	5	35	2 820 40	5	26	2 830 04	5	24
281005G	10	33	2 810 80	1	19	2 811 53	5	20	2 819 07	5	35	2 820 41	5	26	2 830 05	5	24
281005GG	10	33	2 810 82	1	19	2 811 57	5	20	2 819 10	10	35	2 820 45	5	30	2 830 06	5	24
281005R	10	33	2 810 84	1	19	2 811 60	5	20	2 819 11	5	35	2 820 46	5	30	2 830 07	5	24
281005RR	10	33	2 810 85	1	19	2 811 61	5	20	2 819 12	5	35	2 820 48	1	30	2 830 08	4	24
2 810 06	10	17	2 810 86	1	19	2 811 62	5	20	2 819 50	10	35	2 820 50	5	25	2 830 09	4	24
281006G	10	33	2 810 90	1	19	2 811 63	5	20	2 819 51	5	35	2 820 51	5	25	2 830 10	5	24
281006GG	10	33	2 810 97	5	23	2 811 64	5	20	2 819 52	5	35	2 820 52	5	25	2 830 11	5	24
281006R	10	33	2 811 01	10	22	2 811 65	5	20	2 819 55	10	35	2 820 54	5	25	2 830 12	5	24
281006RR	10	33	2 811 02	10	22	2 811 66	5	20	2 819 56	5	35	2 820 55	5	25	2 830 13	5	24
2 810 07	10	17	2 811 03	10	22	2 811 68	5	20	2 819 57	5	35	2 820 61	5	25	2 830 14	5	24
281007G	10	33	2 811 04	10	22	2 811 69	5	20	2 819 60	10	35	2 820 62	5	25	2 830 15	5	24
281007GG	10	33	2 811 05	10	22	2 811 90	10	34	2 819 61	5	35	2 820 71	5	25	2 830 16	5	24
281007R	10	33	2 811 06	10	22	2 811 91	5	34	2 819 62	5	35	2 820 75	5	26	2 830 17	5	24
281007RR	10	33	2 811 10	10	21	2 811 92	5	34	2 819 65	10	35	2 820 80	1	26	2 830 40	5	26
2 810 08	4	17	2 811 11	10	21	2 811 93	5	34	2 819 66	5	35	2 820 86	1	26	2 830 41	5	26
281008R	10	33	281111G	10	34	2 812 75	5	26	2 819 67	5	34	2 821 03	5	29	2 830 45	5	30
2 810 09	4	17	281111GG	10	34	2 813 16	5	28	2 819 70	10	34	2 821 04	5	29	2 830 46	5	30
2 810 10	10	17	281111R	10	34	2 813 17	5	28	2 819 71	5	34	2 821 10	5	28	2 830 48	1	35
2 810 11	10	17	281111RR	10	34	2 813 18	5	28	2 819 72	5	34	2 821 11	5	28	2 830 50	5	25
2 810 12	10	17	2 811 12	5	21	2 813 19	5	28	2 819 75	10	34	2 821 12	5	28	2 830 51	5	25
			2 811 13	5	21												

Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.	Cat.Nos	Pack	Page no.
2 830 52	5	25	2 831 61	5	27	2 832 72	5	25	2 833 93	5	35	2 835 00			2 838 06	5	24
2 830 53	5	25	2 831 62	5	27	2 832 73	5	25	2 834 00	5	24				2 838 07	5	24
2 830 54	5	25	2 831 63	5	27	2 832 75	5	26	2 834 01	5	24	2 835 01	5	29	2 838 08	4	24
2 830 55	5	25	2 831 64	5	27	2 832 80	1	26	2 834 02	5	24	2 835 02	5	29	2 838 40	5	26
2 830 60	5	25	2 831 65	5	27	2 832 82	1	26	2 834 03	5	24	2 835 03	5	29	2 838 41	5	26
2 830 61	5	25	2 831 66	5	27	2 832 84	1	26	2 834 04	5	24	2 835 04	5	29	2 838 45	5	30
2 830 62	5	25	2 831 68	5	27	2 832 85	1	26	2 834 05	5	24	2 835 05	5	29	2 838 46	5	35
2 830 65	5	25	2 831 69	5	27	2 832 86	1	26	2 834 06	5	24	2 835 06	5	29	2 838 48	1	35
2 830 66	5	25	2 831 90	10	26	2 832 90	1	26	2 834 07	5	24	2 835 10	5	28	2 838 50	5	25
2 830 68	5	25	2 831 91	5	26	2 832 97	5	30	2 834 08	4	24	2 835 11	5	28	2 838 51	5	25
2 830 69	4	25	2 831 92	5	26	2 833 01	5	29	2 834 09	4	24	2 835 12	5	28	2 838 52	5	25
2 830 71	5	25	2 831 93	5	30	2 833 02	5	29	2 834 10	5	24	2 835 13	5	28	2 838 53	5	25
2 830 72	5	25	2 832 00	5	24	2 833 03	5	29	2 834 11	5	24	2 835 14	5	28	2 838 54	5	25
2 830 73	5	25	2 832 01	5	24	2 833 04	5	29	2 834 12	5	24	2 835 15	5	28	2 838 55	5	25
2 830 80	1	26	2 832 02	5	24	2 833 05	5	29	2 834 13	5	24	2 835 20	5	29	2 838 61	5	25
2 830 82	1	26	2 832 03	5	24	2 833 06	5	29	2 834 14	5	24	2 835 22	4	29	2 838 62	5	25
2 830 84	1	26	2 832 04	5	24	2 833 10	5	28	2 834 15	5	24	2 835 26	5	29	2 838 71	5	25
2 830 85	1	26	2 832 05	5	24	2 833 11	5	28	2 834 16	5	24	2 835 28	5	28	2 838 73	5	25
2 830 86	1	26	2 832 06	5	24	2 833 12	5	28	2 834 17	5	24	2 835 32	5	28	2 838 80	1	26
2 830 90	1	26	2 832 07	5	24	2 833 13	5	28	2 834 40	5	26	2 835 35	1	27	2 838 86	1	26
2 830 97	5	30	2 832 08	4	24	2 833 14	5	28	2 834 41	5	26	2 835 40	5	28	2 839 03	5	29
2 831 01	5	29	2 832 09	4	24	2 833 15	5	28	2 834 45	5	30	2 835 41	5	28	2 839 04	5	29
2 831 02	5	29	2 832 10	5	24	2 833 20	5	29	2 834 46	5	30	2 835 42	5	28	2 839 10	5	28
2 831 03	5	29	2 832 11	5	24	2 833 22	4	29	2 834 48	1	30	2 835 47	5	27	2 839 11	5	28
2 831 04	5	29	2 832 12	5	24	2 833 26	5	29	2 834 50	5	25	2 835 48	5	27	2 839 12	5	28
2 831 05	5	29	2 832 13	5	24	2 833 28	5	28	2 834 51	5	25	2 835 51	5	27	2 839 13	5	28
2 831 06	5	29	2 832 14	5	24	2 833 32	5	28	2 834 52	5	25	2 835 52	5	27	2 839 14	5	28
2 831 10	5	28	2 832 15	5	24	2 833 35	1	27	2 834 53	5	25	2 835 53	5	27	2 839 20	5	29
2 831 11	5	28	2 832 16	5	24	2 833 40	5	28	2 834 54	5	25	2 835 57	5	27	2 839 22	4	29
2 831 12	5	28	2 832 17	5	24	2 833 41	5	28	2 834 55	5	25	2 835 60	5	27	2 839 28	5	28
2 831 13	5	28	2 832 40	5	26	2 833 42	5	28	2 834 60	5	25	2 835 61	5	27	2 839 40	5	28
2 831 14	5	28	2 832 41	5	26	2 833 47	5	27	2 834 61	5	25	2 835 62	5	27	2 839 48	5	27
2 831 15	5	28	2 832 45	5	30	2 833 48	5	27	2 834 62	5	25	2 835 63	5	27	2 839 51	5	27
2 831 20	5	29	2 832 46	5	30	2 833 51	5	27	2 834 65	5	25	2 835 64	5	27	2 839 52	5	27
2 831 22	4	29	2 832 48	1	30	2 833 52	5	27	2 834 66	5	25	2 835 65	5	27	2 839 57	5	27
2 831 26	5	29	2 832 50	5	25	2 833 53	5	27	2 834 68	5	25	2 835 66	5	27	2 839 60	5	27
2 831 28	5	28	2 832 51	5	25	2 833 57	5	27	2 834 69	4	25	2 835 68	5	27	2 839 61	5	27
2 831 32	5	28	2 832 52	5	25	2 833 60	5	27	2 834 71	5	25	2 835 69	5	27	2 839 62	5	27
2 831 35	1	27	2 832 53	5	25	2 833 61	5	27	2 834 72	5	25	2 835 90	10	35	2 839 65	5	27
2 831 40	5	28	2 832 54	5	25	2 833 62	5	27	2 834 73	5	25	2 835 91	5	35			
2 831 41	5	28	2 832 55	5	25	2 833 63	5	27	2 834 75	5	26	2 835 92	5	35			
2 831 42	5	28	2 832 60	5	25	2 833 64	5	27	2 834 80	1	26	2 835 93	5	35			
2 831 47	5	27	2 832 61	5	25	2 833 65	5	27	2 834 82	1	26	2 838 00	5	24			
2 831 48	5	27	2 832 62	5	25	2 833 66	5	27	2 834 84	1	26	2 838 01	5	24			
2 831 51	5	27	2 832 65	5	25	2 833 68	5	27	2 834 85	1	26	2 838 02	5	24			
2 831 52	5	27	2 832 66	5	25	2 833 69	5	27	2 834 86	1	26	2 838 03	5	24			
2 831 53	5	27	2 832 68	5	25	2 833 90	10	35	2 834 90	1	26	2 838 04	5	24			
2 831 57	5	27	2 832 69	4	25	2 833 91	5	35	2 834 97	5	30	2 838 05	5	24			
2 831 60	5	27	2 832 71	5	25	2 833 92	5	35									

Notes

[illegible]



FOLLOW US

-  www.legrand.com.sg
-  youtube.com/user/legrand
-  twitter.com/legrand_news
-  pinterest.com/legrandgroup



Singapore
17 Neythal Road,
Singapore 628582
☎: +65 6416 1660
Fax: +65 6416 1580
www.Legrand.com.sg